

## GOODSENSE warehouse forklift lithium ion battery 1.5 ton 3.5 ton 8 ton 10 ton electric stacking truck forklift for sale

Our Product Introduction

### Basic Information

- Place of Origin: China
- Brand Name: Goodsense
- Model Number: FB30
- Minimum Order Quantity: Negotiable
- Price: Negotiable
- Packaging Details: Bare packaging
- Delivery Time: 30-40work days
- Payment Terms: T/T



### Product Specification

- Model Number: FB30
- Rated Loading Capacity: 3 TON
- Core Components: Pressure Vessel, Motor, Bearing, Gear, Pump, Gearbox
- Weight (KG): 3500 Kg
- Fork Length: 1070mm
- Fork Width: 125mm
- Overall Dimensions: 3685mm\*1230mm\*2115mm
- Rated Capacity: 3500kg
- Place Of Origin: China
- Brand Name: Goodsense
- Name: Forklift
- Condition: New
- Energy Supply: Reference Introduction
- Advantage: Small Vibration And Noise



### More Images



for more products please visit us on [rdforklift.com](http://rdforklift.com)

Product Description

---

---

Advantages

---

Our Product Introduction

for more products please visit us on [rdforklift.com](http://rdforklift.com)

|                           |  |                   |
|---------------------------|--|-------------------|
| General                   | Model  | FB35              |
|                           | Rated Capacity                                     | 3500kg            |
|                           | Load Centre  | 500mm             |
|                           | Lift Height  | 3000mm            |
|                           | Fork Size (L×W×T)                                  | 1070mm×125mm×50mm |
|                           | Mast Tilt Angle F/R ( $\alpha^\circ/\beta^\circ$ ) | 6/12Deg           |
| Characteristic&Dimensions | Length to fork face of fork (Without fork)         | 2615mm            |
|                           | Overall Width                                      | 1230mm            |
|                           | Mast Lowered Height                                | 2115mm            |
|                           | Mast Extended Height (With backrest)               | 4180mm            |
|                           | Overhead Guard Height                              | 2250mm            |
|                           | Turning Radius (outside)                           | 2350mm            |
|                           | Front Overhang (Wheel center to fork face)         | 485mm             |
|                           | Tread (Front/Rear)                                 | 1000/980mm        |
|                           | Ground Clearance (Bottom of mast)                  | 140mm             |
|                           | Wheelbase  | 1700mm            |
|                           | Fork Spread (Min./Max)                             | 250/1100mm        |
| Performance               | Travel Speed                                       | 14km/h            |
|                           | Lifting Speed (Full load)                          | 280mm/s           |
|                           | Max. Gradeability                                  | 15%               |
|                           | Service Weight                                     | 5350kg            |
|                           | Front Tire×2                                       | 28×9-15-12PR      |
|                           | Rear Tire×2  | 18×7-8            |



**Taizhou Ruidong Import and Export Co., Ltd**



18367688514



gj\_0208@163.com



rdforklift.com

Room 606, East Building 3, Tengda Center, Jiaojiang District, Taizhou, Zhejiang, China